



Pearson
Edexcel

Mark Scheme (Results)

January 2023

Pearson Edexcel International GCSE
In Mathematics A (4MA1) Paper 2FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2023

Question Paper Log Number P72442A

Publications Code 4MA1_2FR_MS_2023

All the material in this publication is copyright

© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.

Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

- **Types of mark**

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

- **Abbreviations**

- cao – correct answer only
- ft – follow through
- isw – ignore subsequent working

- SC - special case
- oe – or equivalent (and appropriate)
- dep – dependent
- indep – independent
- awrt – answer which rounds to
- eoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.

International GCSE Maths**Apart from Questions 13, 14d, 15, 25 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method**

Q	Working	Answer	Mark	Notes
1 (a)		84, 105, 171, 233, 490	1	B1
(b)		5102	1	B1
(c)		3 tens	1	B1 accept 30, tens
(d)		700	1	B1
				Total 4 marks

2 (a)		40	1	B1
(b)		USA	1	B1
(c)		95	1	B1
(d)		Bar drawn height 25	1	B1
				Total 4 marks

3 (a)		Octagon	1	B1
(b)		Acute	1	B1
(c)		Chord drawn	1	B1
(d)		360	1	B1
				Total 4 marks

4	(a)		(1, 0)	1	B1
	(b)		Cross marked at (3, -2)	1	B1
	(c)		(-3, -1)	2	B2 for (-3, -1) If not B2 then award B1 for (-3, a) where $a \neq -1$ or (b, -1) where $b \neq -3$ or (-1, -3)
	(d)		$y = 3$	1	B1
					Total 5 marks

5	eg 2.5 kg = 2500 g or 400 g = 0.4 kg or 350 g = 0.35 kg		4	B1 for a correct conversion between g and kg
	eg 400 + 350 (= 750) or 0.4 + 0.35 (= 0.75) or 400 × 2 (= 800) or 0.4 × 2 (= 0.8)			M1 for method to find the weight of parcel B or C ft incorrect conversion
	eg 2500 – (400 + “750” + “800”) or 2.5 – (0.4 + “0.75” + “0.8”) (= 0.55)			M1 for a complete method ft incorrect conversion
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	550		A1
Total 4 marks				

6	(a)(i)		34	1	B1
	(ii)		Added 6	1	B1 accept eg add 6, +6
	(b)		76	1	B1
	(c)		Correct explanation	1	B1 eg 467 is odd or the numbers in the sequence are even or $6n - 2$ or ..., 466, 472, ...
					Total 4 marks


7	(a)	eg 60 : 24		2	M1 for any ratio equivalent to 60 : 24 or for an answer of 2 : 5
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	5 : 2		A1
	(b)		$\frac{3}{10}$	1	B1
	(c)	eg $20 \div 4 (= 5)$ or $20 \div 4 \times 11 (= 55)$ or $\frac{x}{11} = \frac{20}{4}$ or $\frac{x}{20} = \frac{11}{4}$		3	M1 for a correct first step
		eg $11 \times \text{"5"} + 20$ or $(11 + 4) \times \text{"5"}$			M1 for a complete method
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	75		A1
					Total 6 marks

8		<i>DL, DP, DR, HL, HP, HR, JL, JP, JR, SL, SP, SR</i>	2	B2 for all 12 combinations with no extras or repeats If not B2 then B1 for at least 4 correct combinations (ignoring extras and repeats)
				Total 2 marks

9	(a)		20 30	1	B1 allow eg 20.30 or 20:30
	(b)	eg 10:50am + 45mins = 11:35am or 10:50am + 1hr10mins = 12:00pm or 2:20pm - 45mins = 1:35pm or 2:20pm - 1hr10mins = 1:10pm or 45mins + 1hr10mins = 1hr55mins or 115mins or 10:50am to 2:20pm = 3hr30mins or 210mins		3	M1 for correctly working with two times condone missing am or pm
		eg 10:50am + 45mins + 1hr10mins = 12:45pm or 10:50am + 1hr55mins = 12:45pm or 2:20pm - 45mins - 1hr10mins = 12:25pm or 2:20pm - 1hr55mins = 12:25pm			M1ft for getting to a time one step from the answer or 1hr35mins or a correct ft from a previous error condone missing am or pm
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	95		A1
				Total 4 marks	

10	(a)	eg 500×1.18		2	M1
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	590		A1
	(b)	eg $350 \div 1.40$		2	M1
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	250		A1
					Total 4 marks

11		eg $\frac{1}{4} \times 200 (= 50)$ or $\frac{2}{5} \times 200 (= 80)$ OR $\frac{43}{200}$		4	M1 for a method to find the beads for Bernadette or Claudio OR Derek's beads as a fraction
		eg $\frac{1}{4} \times 200 (= 50)$ and $\frac{2}{5} \times 200 (= 80)$ OR $\frac{43}{200} + \frac{1}{4} + \frac{2}{5} \left(= \frac{173}{200} \right)$			M1 for a method to find the beads for Bernadette and Claudio OR method to find the fraction of the 200 beads given away
		eg $200 - "50" - "80" - 43 (= 27)$ OR $1 - \frac{173}{200}$			M1 for a method to find the number of beads Asif has left OR $1 -$ the fraction of the 200 beads given away
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$\frac{27}{200}$		A1 cao
					Total 4 marks

12 (a)		Correct Venn diagram	3	B3 for all sections completed correctly If not B3 then award B2 for 3 correct sections B1 for 1 or 2 correct sections
(b)(i)		$\frac{13}{30}$	1	B1 oe, ft their Venn diagram
(ii)		$\frac{6}{30}$	1	B1 oe, ft their Venn diagram
				Total 5 marks

13	eg $8 \times 12 (= 96)$ or $7 \times 3 (= 21)$ or $3 \times 15 (= 45)$ or $8 \times 9 (= 72)$ or $15 \times 12 (= 180)$ or $7 \times 9 (= 63)$		5	M1 for a method to find one relevant area accept $15 - 8$ as 7 and $12 - 3$ as 9
	eg “96” + “21” (= 117) or “45” + “72” (= 117) or “180” – “63” (= 117)			M1 for a complete method to find the total area
	eg $117 \div 7 (= 16.7\dots)$ or 17)			M1 (indep) for a method to find the number of tins for their area ft from any value that has come from a calculation that includes at least 2 of the given dimensions
	eg “17” $\times 23.9$			M1 for a method to calculate the cost for their number of tins dependent on previous M1
	<i>Working required</i>	406.3(0)		A1 dep on M1
				Total 5 marks

14	(a)		$10x - x^2$	1	B1 oe eg $-x^2 + 10x$
	(b)		$3(2y + 9)$	1	B1
	(c)	eg $h - 4 = \frac{m}{2}$ or $2h = m + 8$		2	M1 for a correct first step
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$m = 2(h - 4)$		A1 oe eg $m = 2h - 8$ SC award M1 for $m = 2h - 4$ or $m = h - 8$
	(d)	eg $7g - 2g + 3 = -5$ or $5g + 3 = -5$ or $7g = 2g - 5 - 3$ or $7g = 2g - 8$		3	M1 for correctly collecting the terms in g on one side or the numbers on one side
		eg $7g - 2g = -5 - 3$ or $5g = -8$			M1 for a correct rearrangement with terms in g on one side and numbers on the other. Award of this mark implies the first M1
		<i>Working required</i>	$-\frac{8}{5}$		A1 (dep on M1) oe eg $-1\frac{3}{5}$ or -1.6
					Total 7 marks

15	eg $\frac{14}{3}$ and $\frac{11}{6}$		3	M1 for both mixed numbers expressed as improper fractions
	eg $\frac{14}{3} \times \frac{6}{11}$ or $\frac{28}{6} \div \frac{11}{6}$ or $\frac{28n}{6n} \div \frac{11n}{6n}$			M1 seeing this stage gains M2
	eg $\frac{14}{3} \times \frac{6}{11} = \frac{84}{33} = \frac{28}{11} = 2\frac{6}{11}$ or $\frac{14}{3} \times \frac{6}{11} = \frac{84}{33} = 2\frac{18}{33} = 2\frac{6}{11}$ or $\frac{14}{3^1} \times \frac{6^2}{11} = \frac{28}{11} = 2\frac{6}{11}$ or $\frac{14}{3} \div \frac{11}{6} = \frac{28}{6} \div \frac{11}{6} = \frac{28}{11} = 2\frac{6}{11}$ or correct working to $\frac{28}{11}$ and writing $2\frac{6}{11} = \frac{28}{11}$ <i>Working required</i>	Shown		A1 dep on M2 for conclusion to $2\frac{6}{11}$ from correct working – either sight of result of multiplication eg $\frac{84}{33}$ must be seen or correct cancelling to $\frac{28}{11}$ or complete method using division and common denominators
				Total 3 marks


16	(a)		Triangle drawn at (-1, -3) (-1, -4) (-3, -3)	2	B2 for a correct triangle with correct orientation and position If not B2 then award B1 for a correct triangle drawn with correct orientation in wrong position or triangle drawn with 2 out of 3 correct vertices
	(b)		Triangle drawn at (-4, 4) (-4, 5) (-2, 4)	1	B1 cao
					Total 3 marks

17	(a)		-3, -2, -1, 0, 1	2	B2 for -3, -2, -1, 0, 1 If not B2 then award B1 for 4 correct values and no incorrect values (eg -3, -2, -1, 0) or for 6 values with no more than one incorrect value (eg -4, -3, -2, -1, 0, 1)
	(b)		$x > -1$	1	B1 accept $-1 < x$
					Total 3 marks

18		Fully correct angle bisector with all relevant arcs shown	2	<p>B2 for a fully correct angle bisector with all relevant arcs shown</p> <p>If not B2 then B1 for all arcs and no angle bisector drawn or for a correct angle bisector within the guidelines but no correct arcs or insufficient correct arcs</p>
				Total 2 marks

19	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">x</td> <td style="padding: 2px;">-2</td> <td style="padding: 2px;">-1</td> <td style="padding: 2px;">0</td> <td style="padding: 2px;">1</td> <td style="padding: 2px;">2</td> <td style="padding: 2px;">3</td> <td style="padding: 2px;">4</td> </tr> <tr> <td style="padding: 2px;">y</td> <td style="padding: 2px;">10</td> <td style="padding: 2px;">7.5</td> <td style="padding: 2px;">5</td> <td style="padding: 2px;">2.5</td> <td style="padding: 2px;">0</td> <td style="padding: 2px;">-2.5</td> <td style="padding: 2px;">-5</td> </tr> </table>	x	-2	-1	0	1	2	3	4	y	10	7.5	5	2.5	0	-2.5	-5	Correct line	3	<p>B3 for a correct line between $x = -2$ and $x = 4$</p> <p>If not B3 then award B2 for a line segment through at least 3 of $(-2, 10), (-1, 7.5), (0, 5), (1, 2.5), (2, 0), (3, -2.5), (4, -5)$</p> <p>or all points plotted correctly</p> <p>If not B2 then award B1 for at least 2 correct points plotted or stated (may be seen in a table) or for a line drawn with a negative gradient through $(0, 5)$ or for a line with a gradient of -2.5</p>
x	-2	-1	0	1	2	3	4													
y	10	7.5	5	2.5	0	-2.5	-5													
				Total 3 marks																

20	eg $\frac{x+7}{80} = \frac{1}{4}$ or $4(x+7) = 80$ or $x+7 = 20$		4	M1 for setting up a correct equation in terms of x only
	eg $x = 80 \times \frac{1}{4} - 7 (=13)$ or $4x + 28 = 80$ and $x = \frac{80-28}{4} (=13)$ or $x = 13$			M1 for a complete method to find the value of x or $x = 13$. Award of this mark implies M2.
	eg $80 - ("13" + 7 + "13" - 11 + 3 \times "13") (=19)$ or $\frac{"13" + 7 + "13" - 11 + 3 \times "13"}{80} \left(= \frac{61}{80} \right)$			M1 for a method to find the number of yellow counters or P(R or B or G)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$\frac{19}{80}$		A1 oe eg accept 0.2375 or 23.75% or 0.237 or 23.7% or 0.238 or 23.8% or 0.24 or 24%
				Total 4 marks

21 (a)	$2 \times 2 \times 2 \times 5 \times 5$ or 2, 2, 2, 5, 5 or $2 \times 2 \times 3 \times 5 \times 7$ or 2, 2, 3, 5, 7 or eg <table border="1" data-bbox="394 320 692 483"> <tr> <td>2</td> <td>200</td> <td>420</td> </tr> <tr> <td>2</td> <td>100</td> <td>210</td> </tr> <tr> <td>5</td> <td>50</td> <td>105</td> </tr> <tr> <td></td> <td>10</td> <td>21</td> </tr> </table>	2	200	420	2	100	210	5	50	105		10	21		2	M1 for one number written as a product of prime factors or prime factors listed – numbers may be at end of factor trees or on ‘ladder diagrams’ or in a table or in a Venn diagram or at least two factors for each (excluding 1, 200, 420)
2	200	420														
2	100	210														
5	50	105														
	10	21														
	Correct answer scores full marks (unless from obvious incorrect working)	20		A1 or $2^2 \times 5$ oe												
(b)			2	M1 for $2^m \times 3^n \times 5^p \times 7^q \times 11^r$ with at least three of $m = 3, n = 2, p = 2, q = 2, r = 1$ (all 5 terms should be seen) or omission of one term with others fully correct OR prime factors seen in a Venn diagram – if so must be fully correct												
	Correct answer scores full marks (unless from obvious incorrect working)	$2^3 \times 3^2 \times 5^2 \times 7^2 \times 11$		A1 allow 970 200 oe												
Total 4 marks																

22	$55 \times 32 (= 1760)$ or $52 \times 28 (= 1456)$ or $55 \times 32 + 52 \times 28 (= 3216)$		3	M1 for one correct product or method to find the total mark for both classes
	eg $\frac{"1760"+"1456"}{32+28}$ or $\frac{3216}{60}$			M1 for a complete method
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	53.6		A1
				Total 3 marks

23 (a)	for 0.04×2000 oe (= 80) or 1.04×2000 oe (= 2080)	OR 2000×1.04^3 oe	3	M1 for finding 4% or 104% of 2000	OR M2 for 2000×1.04^3 oe or 2000×1.04^4 oe (= 2339.72)
	$1.04 \times "2080"$ oe (= 2163.2) $1.04 \times "2163.2"$ oe			M1 for completing method to find total amount in the account at the end of 3 years	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>		2250	A1 accept 2249 – 2250	
				SC: if no other marks gained award M1 for 0.12×2000 oe or 240 or 1.12×2000 oe or 2240 accept $(1 + 0.04)$ as equivalent to 1.04 throughout	
(b)	eg $1365 \div (1 - 0.09)$ or $1365 \div 0.91$		3	M2 for a complete method (M1) for $1365 \div (100 - 9)$ (= 15) or $(100 - 9)\% = 1365$ or $91\% = 1365$ or eg $(1 - 0.09)T = 1365$ or eg $T - 0.09T = 1365$	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>		1500	A1	
Total 6 marks					

24	eg $\pi \times 3^2 \times 7$ (= 63π or 197.9...)		3	M1	for method to find the volume of Solid A
	eg $\frac{2000}{[\text{vol A}]}$ or $\frac{3375}{450}$ (= 7.5 oe) or $\frac{2000+3375}{[\text{vol A}]+450}$			M1	(indep) for method to find the density of Solid A, B or C , allow use of their volume for Solids A and C
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	8.3		A1	accept 8.29 – 8.31
					Total 3 marks

25	$SCD = 128^\circ$ or $BCS = 32^\circ$ or $TSC = 180 - 128$ (= 52)		4	M1	angles need to be identified or may be seen marked on the diagram	M2 for ($BCD =$) $128 + 32$ (= 160) or ($DCV =$) $52 - 32$ (= 20) (may be seen marked on the diagram). To award these marks 160 or 20 must be clearly used or identified as the interior or exterior angle.
	eg (int $\angle =$) $128 + 32$ (= 160) or (ext $\angle =$) $180 - (128 + 32)$ (= 20) or (ext $\angle =$) " 52 " - 32 (= 20)			M1	(dep on previous M1) for method to find the size of one interior or exterior angle, may be seen marked on the diagram.	
	eg $180(n - 2) = "160"n$ or $360 \div "20"$			M1	for setting up an equation for the sum of interior angles or $360 \div "20"$	
	<i>Working required</i>	18		A1	dep on M2	
					Total 4 marks	

