Write your name here		
Surname	Other nam	es
Pearson Edexcel International GCSE	Centre Number	Candidate Number
Chemistry Unit: 4CH0 Paper: 2C	y	
Wednesday 17 January 20 Time: 1 hour	)18 – Afternoon	Paper Reference 4CH0/2C
You must have: Calculator		Total Marks

## Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⋈. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

# **Information**

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

#### **Advice**

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P53146A ©2018 Pearson Education Ltd. 1/1/1/1/1/ 2C-JA-18(11)



			1			l		-									
	4		12	ပ	Carbon 6	28	Š	Silicon 14	73	Ge	Germanium 32	119	S	Ti. 20	207	P.	Lead 82
	က		Ξ	ω	Boron 5	27	₹	Aluminium 13	0,2	Ga	Gallium 31	115	드	Indium 49			Thallium 81
ш									65	Zu	Zinc 30	112	පි	Cadmium 48	201	£	Mercury 80
TABLI									63.5	రె	-			Silver 47		Au	Gold 79
THE PERIODIC TABLE									59	ž	Nickel 28	106	Pd	Palladium 46	195	ă	Platinum 78
HE PE									59	රි	Cobalt 27	103	뜐	Rhodium 45	192		Iridium 77
F									26	Pe	lron 26	101	2	n Ruthenium 44	061	ő	Osmium 76
	Group	Hydrogen							55	Z	ຜ	66	<u>ئ</u>	Technetium 43	186	Re	Rhenium 75
									52	స	Chromium 24		<b>№</b>	Ē	181	>	Tungsten 74

0

ဖ

2

Kev

Relative atomic mass
Symbol
Name
Atomic number

www.mrc-papers.com
P 5 3 1 4 6 A 0 2 1 6

Benyllium Agonesium Agonesium Agonesium Agonesium Calcium 20 Calcium 20 Sf Sf Strontium 38 Banum Banum

Vanadium 23 93 Nb Niobium 41 181 Ta Tantalum 73

Titanium 22 91 Zr Zirconium 40 179 Hf Hafnium 72

SC Scandium 21 21 21 22 21 39 39 39 51 227 227 Actinium 89

Nitrogen

31

31

Phosphorus
15

AS

Arsenic
33

122

Sb

Antimony
51

209

Bi
Bismuth
83

<sub>2</sub> 2C-JA-18(11)


Period

N

55258711

# **Answer ALL questions.**

1 These pieces of apparatus are used in chemistry experiments.



(a) Name these pieces of apparatus.

(4)

P......

Q.....

R......

S......

(b) Apparatus P contains dilute hydrochloric acid.

Litmus indicator is added to this acid.

What is the final colour of the litmus?

- (c) Apparatus R contains potassium hydroxide solution.

Litmus indicator is added to this alkaline solution.

What is the final colour of the litmus?


 $\square$  **A** blue  $\square$  **B** green  $\square$  **C** orange  $\square$  **D** red

(Total for Question 1 = 6 marks)

2C-JA-18(11)



2 The diagram shows an atom of lithium with atomic number 3 and mass number of 6.



(a) Name the particle labelled E.

(1)

(b) Name the part of the atom labelled F.

(1)

(c) Name the two types of particle found in part F.

(2)

I .....

2



- (d) Another type of lithium atom has atomic number 3 and mass number 7.
  - (i) State the name given to atoms with the same atomic number but different mass numbers.

(1)

(ii) Draw a diagram to show the arrangement of electrons in an atom of lithium with atomic number 3 and mass number 7.

(1)

(e) A sample of lithium contains 92.5% of atoms with mass number 7 and 7.5% of atoms with mass number 6.

Calculate the relative atomic mass of lithium.

(2)

relative atomic mass = .....

(Total for Question 2 = 8 marks)



**3** A student is provided with a solution of dilute sulfuric acid and a solution of sodium hydroxide.


The student does a titration using 25.0 cm<sup>3</sup> of the sodium hydroxide solution.

She adds the acid from a burette.

(a) Which type of reaction occurs between dilute sulfuric acid and sodium hydroxide?

(1)

- A displacement
- **B** neutralisation
- □ redox
- (b) The diagram shows the student's burette readings for the titration.



(i) Use the readings to complete the table, giving all values to the nearest 0.05 cm<sup>3</sup>.

burette reading after adding acid

burette reading before adding acid


volume in cm³ of acid added



(ii)	Explain why the student needs to repeat the titration in order to obtain a reliable value for the volume of acid required to react exactly with 25.0 cm <sup>3</sup> of sodium hydroxide solution.	
		(2)
•••••		

(Total for Question 3 = 6 marks)

**4** (a) This is the displayed formula of an organic compound, X.



(i) Give the molecular formula of compound X.

(1)

(ii) A student describes compound X as a saturated hydrocarbon.

Explain whether the student is correct.

(3)

(b) Compound X and ethanol are members of the homologous series of alcohols.

One property of members of a homologous series is that they have similar chemical reactions.


Give one other property of members of a homologous series.

(1)



(c) This apparatus is used for a dehydration reaction using compound X.

This reaction is similar to the dehydration reaction of ethanol.



The reaction produces gas Y and one other product.

(i) State the purpose of the aluminium oxide.

(1)

(ii) State a property of gas Y that allows it to be collected over water.

(1)

(iii) Give a reason why the first sample of gas Y collected is not pure.

(1)

(iv) Complete the equation for the dehydration reaction showing the displayed formula of gas Y and the molecular formula of the other product.

(2)

(1)

(v) Give the name of gas Y.

(Total for Question 4 = 11 marks)

2C-JA-18(11)



**5** Chromium is a shiny metal that has many uses.

Most chromium is extracted from the ore chromite, FeCr<sub>2</sub>O<sub>4</sub>

(a) Complete the table by giving the names of the elements in FeCr<sub>2</sub>O<sub>4</sub>

(1)

Chemical symbol	Name of element
Fe	
Cr	
0	

(b) In the extraction process, chromite is converted into chromium(III) oxide,  $Cr_2O_3$ Chromium is made by this reaction

chromium oxide + aluminium → chromium + aluminium oxide

(i) Write a chemical equation for this reaction.

(2)

(ii) Explain what the reaction shows about the reactivity of chromium compared to the reactivity of aluminium.


(2)

(iii) Explain why the reaction between chromium oxide and aluminium is described as a redox reaction.

(2)

(c) Chromium metal reacts with dilute hydrochloric acid to form hydrogen gas.

This apparatus is used to investigate the reaction.



The equation for the reaction is

$$Cr(s) + 2HCI(aq) \rightarrow CrCI_2(aq) + H_2(g)$$

A student adds 0.13 g of a sample of chromium metal to excess dilute hydrochloric acid.

(i) Calculate the maximum volume of hydrogen gas that the student could produce in this experiment at room temperature and pressure (rtp).

[molar volume of a gas is 24 dm³ at rtp]

(3)

maximum volume = .....dm<sup>3</sup>

(ii) The student does the experiment at rtp and finds that the volume collected is less than the calculated maximum.

Give two possible reasons for this.

(2)

(Total for Question 5 = 12 marks)

(Total for Question 3 – 12 mai

6	Lithium fluoride,	LiF, and	magnesium	oxide, MgO,	are ionic c	compounds.
---	-------------------	----------	-----------	-------------	-------------	------------

(a) (i) Calculate the relative formula mass  $(M_r)$  of MgO.

(1)

 $M_r =$ 

(ii) Give the formulae of the two ions in LiF.

(1)

and ......


# (b) Explain why

- ionic compounds have high melting points
- the melting point of magnesium oxide is much higher than the melting point of lithium fluoride

_		
/	<i>Δ</i> Ι \	
ш	66.1	

ny ionic compounds do when molten or in aqu	city when solid, but c	do conduct
	(Total for Question 6	5 = 8 marks)

7 The diagram shows the electrolysis of concentrated sodium chloride solution in a diaphragm cell.



(a) (i) The ionic half-equation for the reaction at the positive electrode is

$$2CI^{-} \rightarrow CI_{2} + 2e^{-}$$

Use this equation to explain why oxidation occurs at the positive electrode.

(2)

(ii) At the negative electrode, water molecules gain electrons to form hydroxide ions and hydrogen gas.

 $\label{lem:complete} \mbox{Complete the ionic half-equation for this reaction.}$ 

(2)

$$2H_2O$$
 + ..... + ....

(b) Chlorine reacts with sodium hydroxide to produce a mixture of water, sodium chloride and sodium chlorate(I), NaOCI.

Write a chemical equation for this reaction.

(1)

- (c) Chlorine is used in the manufacture of the addition polymer poly(chloroethene).
  - (i) Explain how an addition polymer is formed from its monomers.

(2)

(ii) Complete this equation by drawing the displayed formula of poly(chloroethene).

(Total for Question 7 = 9 marks)

**TOTAL FOR PAPER = 60 MARKS** 

## **BLANK PAGE**

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.

www.mrc-papers.com
P 5 3 1 4 6 A 0 1 6 1 6