## CAMBRIDGE INTERNATIONAL EXAMINATIONS

**Cambridge International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2015 series

## 0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

mmn. \*tremepapers.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	age 2 Mark Scheme		Paper
	Cambridge IGCSE – May/June 2015	0580	22

## **Abbreviations**

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Question	Answer	Mark	Part marks
1	$5.34 \times 10^{7}$	1	
2	9 [h] 30 [min] cao	1	
3	$\frac{1}{4}$ or 0.25	1	
4 (a)	7	1	
(b)	Any number except 3, 7 or 20	1	
5	0.2 oe	2	<b>M1</b> for $1 - (0.15 + 0.3 + 0.35)$
6	8×10 <sup>3</sup> or 8000 nfww	2	M1 for $w + 4 \times 10^3 = 1.2 \times 10^4$ oe or $5w + 20 \times 10^3 = 6 \times 10^4$ oe
7	Parallel	1	
	Same length	1	
8	$2n^2 + 3$ oe final answer	2	M1 for a quadratic expression as final answer
			or $2n^2 + 3$ oe in working
9	$\frac{23}{90}$ oe, must be fraction	2	<b>M1</b> for $25.\dot{5} - 2.\dot{5}$ oe e.g. $2.55^{r} - 0.25^{r}$
	90		or <b>B1</b> for $\frac{k}{90}$
10	7	2	<b>B1</b> for 120.5 or 113.5 seen
11	$ \frac{1}{5} \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix}  oe  $	2	<b>M1</b> for $k \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix}$ soi
			or $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$
			or det = 5 soi

Page 3	3 Mark Scheme		Paper
	Cambridge IGCSE – May/June 2015	0580	22

12		$\frac{8}{3}$	D1	or $\frac{40}{15}$ accept $\frac{3}{8}$ or $\frac{15}{40}$
		3	<b>B</b> 1	15 8 40
		$\frac{4}{5} \times their \frac{3}{8}$ oe	M1	or $\frac{12}{15} \div their \frac{40}{15}$ or equivalent division with
				fractions with common denominators
		$\frac{3}{10}$ cao	A1	
13 (a	a)	11	1	
(t	<b>b</b> )	8	2FT	<b>FT</b> 30 – 2 × <i>their</i> (a)
				or <b>M1</b> for $4 \times 7 = 2(x-1) + FG$ oe or $4(x-4) = 2(x-1) + FG$ oe or $2 \times 7 + 2(x-4) = 2(x-1) + FG$ oe Allow $x$ to be <i>their</i> (a) in each
14		684	3	<b>M2</b> for $0.95 \times 4 \times 3 \times 60$
				or <b>M1</b> for 0.95 × 4 [× 3]
				or $4 \times 3 \times 60$ or $0.95 \times 3 \times 60$
				or 0.95 × 4 × 60
15		$\frac{2x-23}{(x+2)(2x-5)}$ final answer	3	<b>B1</b> for a common denominator of $(x+2)(2x-5)$
				<b>B1</b> for $3(2x-5)-4(x+2)$ or better
				or <b>SC2</b> for final answer $\frac{2x-7}{(x+2)(2x-5)}$
				or <b>SC1</b> for numerator of $2x - 7$ in final answer
16 (a	a) (i)	$0.5 \text{ or } -0.5 \text{ or } \frac{1}{2} \text{ or } -\frac{1}{2}$	1	
	(ii)	4	1	
(lt	<b>b</b> )	1.37 or 1.37[4]	1	
17 (a	a)	[y =] 2x + 3 cao	3	<b>M2</b> for correct unsimplified equation or <b>B1</b> for gradient = $(11-3) \div (4-0)$ or better and <b>B1</b> for $c=3$
(t	b)	$-\frac{1}{2}$ oe	1FT	$-1 \div their m$

Page 4 Mark Scheme		Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0580	22

				,
18	(a)	78	3	<b>M2</b> for $5 \times 12 + \frac{1}{2} \times 12 \times (8 - 5)$ or
				$\frac{1}{2} \times 6 \times (5+8) \times 2 \text{ oe}$
				or <b>M1</b> for $5 \times 12$ , $\frac{1}{2} \times 12 \times (8-5)$ ,
				$\frac{1}{2} \times 6 \times (5+8) \text{ or } 12 \times 8 - ()$
	<b>(b)</b>	1170	1FT	15 × their <b>(a)</b>
19	(a)		1	Correct circle, radius 4 cm centre C
	<b>(b)</b>		2	<b>B2</b> for correct bisector with 2 pairs of correct arcs
				or <b>B1</b> for correct bisector with no/wrong arcs
	(c)		1	Correct complete boundary and correct shading.
		Å B		Dep on at least <b>B1</b> in <b>(b)</b>
20	(a) (i)	4	1	
	(ii)	{3,9}	1	
	(iii)	fewer than 6 numbers from $\{1, 3, 5, 7, 9, 11\}$ or $\emptyset$	1	
	<b>(b)</b>	ξ A B	1	
21	(a)	m=2	2	<b>B1</b> for $m = 2$
		n = -10		<b>B1</b> for $n = -10$
				If 0 scored <b>SC1</b> for $(x + 2)^2$ in working or $x^2 + 2mx + m^2 + n$ and equating coefficients $2m[x] = 4[x]$ or $m^2 + n = -6$
	(b)	<b>1.16</b> or 1.16[2] from completing square	2FT	FT dep on negative $n$ B1 for $(x + their m)^2 = -their n$
				or <b>SC1</b> for correct answer from using formula or for both answers 1.16 <b>and</b> –5.16 whatever method used

Page 5	Mark Scheme		Paper
	Cambridge IGCSE – May/June 2015	0580	22

22	(a)	44	2	<b>M1</b> for 48 soi
	(b)	24	2	M1 for 40 or 16 or both lines drawn from 15 and 45 across and down to the horizontal axis
	(c)	5	2	M1 for answer 55 or line or mark on graph indicating 55
23	(a)	0.4 or $\frac{2}{5}$	1	
	<b>(b)</b>	1430	3	M2 for correct, complete, area statement
				e.g. $120 \times 10 + \frac{1}{2} \times 20 \times 8 + \frac{1}{2} \times 30 \times 10$ oe
				or M1 for one area calculation
				e.g. $10 \times 120$ or $\frac{1}{2} \times 20 \times 8$ or $\frac{1}{2} \times 30 \times 10$
	(c)	11.9 or 11.91 to 11.92	1FT	their <b>(b)</b> ÷ 120
24	(a)	$9x^2$	1	
	<b>(b)</b>	$\frac{x-5}{3}$	2	M1 for correct first algebraic step e.g.
		3		$y-5=3x$ or $\frac{y}{3}=x+\frac{5}{3}$ or better
				or
				for interchanging $x$ and $y$ , e.g. $x = 3y + 5$ , this does not need to be the first step
	(c)	9x + 20 cao final answer	2	<b>M1</b> for $3(3x+5)+5$