



Pearson
Edexcel

Mark Scheme (Results)

Summer 2023

Pearson Edexcel International GCSE
In Mathematics A (4MA1) Paper 1FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2023

Question Paper Log Number P72789A

Publications Code 4MA1_1FR_2306_MS

All the material in this publication is copyright

© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
 - M marks: method marks
 - A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - cao – correct answer only
 - ft – follow through
 - isw – ignore subsequent working
 - SC – special case
 - oe – or equivalent (and appropriate)
 - dep – dependent

- indep – independent
- awrt – answer which rounds to
- eeoo – each error or omission

- **No working**

If no working is shown, then correct answers normally score full marks.

If no working is shown, then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams) and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. E.g. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line, then check the working for an obvious answer.

- **Parts of question**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another,

International GCSE Maths**Apart from Questions 9, 10, 17, 18b, 28 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method**

Q	Working	Answer	Mark	Notes
1 (a)		Tuesday	1	B1 accept Tues, Tue, Tu Allow 11 362
(b)		Nine thousand six hundred and fifty three	1	B1
(c)		8930	1	B1 cao
(d)		9 hundreds	1	B1 accept 100(s), hundred(s), 900, nine hundred(s)
(e)		17391	1	B1 cao
				Total 5 marks

2 (a)		unlikely	1	B1
(b)		× at 0	1	B1
(c)		1 odd number and 2 even numbers	1	B1
				Total 3 marks

3	(a)		Pentagon	1	B1
	(b)		7.6	1	B1 accept 7.4 – 7.8
	(c)		<i>T</i> marked at interior angle <i>E</i> or exterior angle <i>C</i>	1	B1 must be the interior angle at <i>E</i> or exterior angle at <i>C</i> . Allow both angles to be marked but no others. Allow <i>t</i>
					Total 3 marks

4	(a)		16 squares shaded	1	B1 cao
	(b)		70	1	B1 cao
	(c)		0.049, 0.14, 0.4, 0.459, 0.49	1	B1 oe
					Total 3 marks

5 (a)		Correct explanation	1	B1 eg 'she added 4', 'add 4', +4, rule is $4n - 2$, goes up by 4, $4 \times 5 - 2 (= 18)$
(b)	<p>Acceptable answers</p> <ol style="list-style-type: none"> 1. (the) sequence is even 2. (217) is odd or not even 3. 'nth term is $4n - 2$ which will always be even' 4. 'sequence goes 214, 218' 5. (the) 54th term is 214 6. it would be 218 (not 217) 7. $4n - 2$ so n is not an integer/whole number 8. $219 \div 4$ oe (= 54.75) not an integer/whole number 9. not 2 less than a multiple of 4 10. does not end with 0, 2, 4, 6 and 8 (must have all 5 numbers) 11. each digit has an even digit at the end/does not end in an even number <p>Not acceptable answers</p> <ol style="list-style-type: none"> 1. adding 4 each time will not lead to 217 2. it goes past 217 3. $217 \div 4 (= 54.25)$ not an integer/whole number 	Correct explanation	1	B1
				Total 2 marks

6	eg $9.25 \times 1000 (= 9250)$ or $750 \div 1000 (= 0.75)$		4	M1 for a correct conversion	M2 for 750×13
	eg “9250” $\div 750 (= 12(.333\dots))$ or 13) or $9.25 \div “0.75” (= 12(.333\dots))$ or 13) or $750 \times 12 (= 9000)$ or $0.75 \times 12 (= 9)$ or eg 750, 1500, 2250, ………, 9000 or 0.75, 1.5, 2.25, ………, 9 or 9250, 8500, 7750, ………, 250 or 9.25, 8.5, 7.75, ………, 0.25			M1 for a method to calculate the number of bags required. Ft incorrect conversion or for repeated addition to at least 9000 or 9 (allow one error) or for repeated subtraction to at least 250 or 0.25 (allow one error)	(= 9750)
	eg “13” $\times 58$			M1 for a complete method. Ft incorrect conversion – an attempt must have been made at a conversion to gain this mark. “13” must come from a number that is rounded up or ft subtraction/addition method to find the number of bags allowing only one error “13” must come from a number that is rounded up	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	754		A1 cao SCB1 for $9.25 \div 750 (= 0.123(333\dots))$	
					Total 4 marks

7	(a)		$12ac$	1	B1
	(b)		$5d - 2e$	2	B2 for $5d - 2e$ oe (B1 for $5d$ or $-2e$)
	(c)	$4x = 23 + 7$ or $4x = 30$ oe or $x - \frac{7}{4} = \frac{23}{4}$ or $(23 + 7) \div 4$ or $30 \div 4$		2	M1 for a correct first step or a correct calculation for x
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	7.5		A1 oe eg $\frac{15}{2}$, $7\frac{1}{2}$, $\frac{30}{4}$
					Total 5 marks

8	(a)		97	1	B1
	(b)		43	1	B1
	(c)	16 or 125		2	M1 for sight of 16 or 125
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	2000		A1
					Total 4 marks

<p>9</p>	<p>eg $(8 + 8) + (8 + 4) + (8 + 8 + 6) + (8 + 8 + 2) (= 68)$ or $16 + 12 + 22 + 18 (= 68)$ or $8.5 \times 8 (= 68)$</p>		<p>4</p>	<p>M2 for a method to find the total cars sold in April with at least 3 out of 4 correct and intention to add or sight of 68 (M1 for a method to find the totals for each employee with at least 3 out of 4 correct OR method to find the totals for 2 employees and intention to add)</p>
	<p>eg $60 \times 0.15 (= 9)$ oe or $60 \times 1.15 (= 69)$ oe</p>			<p>M1 (indep) for a method to increase 60 by 15% or 15% of 60 or sight of 69 or 9 Allow $\frac{"68"}{1.15} (= 59.1\dots)$</p>
	<p><i>Working required</i></p>	<p>68 and 69 or 68 and 1 more needed</p>		<p>A1 Suitable conclusion e.g 59.1 v 60</p>
				<p>Total 4 marks</p>

10	$BCD = 108$		5	M1 for angle $BCD = 108$ can be seen on diagram
	eg $360 - ("108" + 135 + 54) (= 63)$ or $360 - 297 (= 63)$			M1 for method to find angle BAD can be seen on diagram (63 or 297 implies the previous M1)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	117		A1 for 117 can be seen on diagram
	(i) <u>Vertically opposite</u> angles are equal Vertically <u>opposite angles</u> are equal (ii) <u>Angles in a quadrilateral</u> sum to 360° or angles in a <u>quadrilateral</u> sum to 360° Accept "4-sided shape" (iii) <u>Angles on a straight line</u> add to 180° or angles on a straight <u>line</u> add to 180°			B2 (dep on M1) for two correct reasons for their method (B1 (dep on M1) for 1 correct reason for their method)
				Total 5 marks

11	(a)		5	1	B1
	(b)		3	1	B1
	(c)	eg $0 \times 3 + 1 \times 7 + 2 \times 6 + 3 \times 11 + 4 \times 1 + 5 \times 2 (= 66)$ or $0 + 7 + 12 + 33 + 4 + 10 (= 66)$		3	M1 for at least 5 correct products and intention to add
		"66" $\div 30$			M1
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	2.2		A1 oe
					Total 5 marks

12	(-1, 6) (0, 4) (1, 2) (2, 0) (3, -2) (4, -4)	For a correct line between $x = -1$ and $x = 4$	3	<p>B3 For a correct line between $x = -1$ and $x = 4$</p> <p>B2 For a correct straight line segment through at least 3 of (-1, 6) (0, 4) (1, 2) (2, 0) (3, -2) (4, -4) OR for all of (-1, 6) (0, 4) (1, 2) (2, 0) (3, -2) (4, -4) plotted but not joined OR for a line drawn with a negative gradient through (0, 4) and clear intention to use a gradient of -2</p> <p>B1 For at least 2 correct points stated (may be in a table) OR for a line drawn with a negative gradient through (0, 4) OR for a line with a gradient of -2</p>
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>			Total 3 marks

13	eg $7.5 \times 5 (= 37.5)$ oe or $8 \times (10 - 7.5) (= 20)$ oe or $10 \times 5 (= 50)$ oe or $(10 - 7.5) \times (8 - 5) (= 7.5)$ oe or $10 \times 8 (= 80)$ oe or $7.5 \times (8 - 5) (= 22.5)$ oe	eg $8 \div 0.5 (= 16)$ or $(10 - 7.5) \div 0.5 (= 5)$ or $(8 - 5) \div 0.5 (= 6)$ or $10 \div 0.5 (= 20)$ or $5 \div 0.5 (= 10)$ or $7.5 \div 0.5 (= 15)$		5	M1 for a method to find a relevant area OR a method to find the number of tiles along one 'row'
	eg " 37.5 " + " 20 " ($= 57.5$) oe or " 50 " + " 7.5 " ($= 57.5$) oe or " 80 " - " 22.5 " ($= 57.5$) oe	eg " 16 " \times " 5 " ($= 80$) or " 10 " \times " 15 " ($= 150$) or " 5 " \times " 6 " ($= 30$) or " 10 " \times " 20 " ($= 200$)			M1 for a method to find the total area of the shape OR a method to find the number of tiles needed for one rectangle
	" 57.5 " $\div 0.5^2 (= 230)$ oe or " $575\ 000$ " $\div 10\ 000 \div 0.5^2$ oe or " 57.5 " \div " 0.25 " ($= 230$) oe or " 57.5 " \div (" 2500 " $\div 10\ 000$) ($= 230$) oe	eg " 80 " + " 150 " ($= 230$) or " 30 " + " 200 " ($= 230$)			M1 dep on M1 for a method to find the total number of tiles required (consistent units)
	" 230 " $\times 4 (= 920)$				M1 dep on previous M1 for multiplying the total number of tiles by 4
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>		15 hours 20 minutes		A1 SCB1 for $0.5 \times 0.5 (= 0.25)$ if no other marks are awarded
					Total 5 marks

13 ALT	eg $750 \times 500 (= 375\,000)$ oe or $800 \times (1000 - 750) (= 200\,000)$ oe or $1000 \times 500 (= 500\,000)$ oe or $(1000 - 750) \times (800 - 500)$ $(= 75\,000)$ oe or $1000 \times 800 (= 800\,000)$ oe or $750 \times (800 - 500) (= 225\,000)$ oe	eg $800 \div 50 (= 16)$ or $(1000 - 750) \div 50$ $(= 5)$ or $(800 - 500) \div 50$ $(= 6)$ or $1000 \div 50 (= 20)$ or $500 \div 50 (= 10)$ or $750 \div 50 (= 15)$		5	M1 for a method to find a relevant area OR a method to find the number of tiles along one ‘row’
	eg “375 000” + “200 000” (= 575 000) oe or “500 000” + “75 000” (= 575 000) oe or “800 000” – “225 000” (=575 000) oe	eg “16” × “5” (= 80) or “10” × “15” (= 150) or “5” × “6” (= 30) or “10” × “20” (= 200)			M1 for a method to find the total area of the shape OR a method to find the number of tiles needed for one rectangle
	“575 000” $\div 50^2 (= 230)$ oe or “57.5” $\times 10\,000 \div 50^2$ oe or “575 000” \div “2500” (= 230) or oe “575 000” \div (“0.25” $\times 10\,000$) $(= 230)$ oe	eg “80” + “150” (= 230) or “30” + “200” (= 230)			M1 dep on M1 for a method to find the total number of tiles required (consistent units)
	“230” $\times 4 (= 920)$				M1 dep on previous M1 for multiplying the total number of tiles by 4
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>		15 hours 20 minutes		A1 SCB1 for $50 \times 50 (= 2500)$ if no other marks are awarded
					Total 5 marks

14		$F = 2r + 7h$	3	B3 for $F = 2r + 7h$ oe
				(B2 for $2r + 7h$ or $F = 2r + ah$ or $F = br + 7h$ or $F = 2h + 7r$)
				(B1 for $2r + ah$ or $br + 7h$ or $2h + 7r$ or $F = 2r$ or $F = 7h$ or for $F =$ an incorrect expression in r and h)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>			Total 3 marks

15	eg $\frac{21}{35}$ and $\frac{10}{35}$ or $\frac{21n}{35n}$ and $\frac{10n}{35n}$		2	M1 for finding a common denominator with at least one fraction correct
	$\frac{21}{35} + \frac{10}{35} = \frac{31}{35}$ $\frac{21n}{35n} + \frac{10n}{35n} = \frac{31n}{35n} = \frac{31}{35}$	Shown		A1 dep on M1, for a complete correct method leading to $\frac{31}{35}$
	<i>Working required</i>			Total 2 marks

16	$1700 \div 2 (= 850)$	M2 for eg $1700 \times \frac{7}{2} (= 5950)$		4	M1 for finding the value of one share	M2 for a complete method to find the cost of Seiso's share
	"850" $\times 5 (= 4250)$ or "850" $\times (2 + 5)$ (= 5950) or 1700 + "4250" (= 5950)	or $1700 \times \frac{5}{2} (= 4250)$			M1 for finding the cost of Seiso's share or the total of Roland and Seiso's share	or the total of Roland and Seiso's share
	eg 1700 + "4250" + (1700 + 2150) or "5950" + (1700 + 2150) or "5950" + 3850				M1 for a complete method	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>		9800		A1 SCB1 for $1700 \div 5 (= 340)$ or $1700 \div 7 (= 242(.85\dots))$ or 243) or $2150 \div 7 (= 307(.14\dots))$ or $2150 \div 2 (= 1075)$ or $2150 \div 5 (= 430)$	
					Total 4 marks	

<p>17</p> <p>e.g. $2 \times 5 \times 225$ or $5 \times 5 \times 90$ or $5^2 \times 90$ $3 \times 5 \times 150$ or $3 \times 3 \times 250$ or $3^2 \times 250$</p>	<p>e.g.</p> <table border="1" data-bbox="439 531 730 647"> <tr><td>2</td><td>2250</td></tr> <tr><td>5</td><td>1125</td></tr> <tr><td></td><td>225</td></tr> </table> <p>e.g.</p> <pre> 2250 / \ 2 1125 / \ 5 225 </pre>	2	2250	5	1125		225		3	<p>M1 for 2 correct stages in prime factorisation with 0 incorrect stages or at least 3 stages in prime factorisation with no more than 1 incorrect stage. Each stage gives 2 factors – may be in a factor tree or a table or listed eg 2, 2, 225 (see LHS for examples of the amount of work needed for the award of this mark). Example of 3 stages with 1 incorrect stage: $2250 = 225 \times 100 = 3 \times 5 \times 15 \times 100$ or $225 = 3 \times 5 \times 15$</p>								
2	2250																	
5	1125																	
	225																	
	<p>e.g. $2 \times 3 \times 3 \times 5 \times 5 \times 5$</p> <p>e.g.</p> <table border="1" data-bbox="439 847 730 1118"> <tr><td>2</td><td>2250</td></tr> <tr><td>5</td><td>1125</td></tr> <tr><td>3</td><td>225</td></tr> <tr><td>5</td><td>75</td></tr> <tr><td>3</td><td>15</td></tr> <tr><td>5</td><td>5</td></tr> <tr><td></td><td>(1)</td></tr> </table> <p>e.g.</p> <pre> 2250 / \ 2 1125 / \ 5 225 / \ 3 75 / \ 5 15 / \ 3 5 </pre>	2	2250	5	1125	3	225	5	75	3	15	5	5		(1)			<p>M1 for 2, 3, 3, 5, 5, 5 or $2 \times 3 \times 3 \times 5 \times 5 \times 5$ or $2, 3^2, 5^3$ or $2 + 3^2 + 5^3$</p> <p>(ignore 1s)</p> <p>(may be a fully correct factor tree or ladder)</p>
2	2250																	
5	1125																	
3	225																	
5	75																	
3	15																	
5	5																	
	(1)																	
	<p><i>Working required</i></p>	<p>$2 \times 3^2 \times 5^3$</p>		<p>A1 dep on M2 can be any order (allow $2 \cdot 3^2 \cdot 5^3$)</p>														
Total 3 marks																		

18	(a)(i)	7, 11, 13, 5	5, 7, 11, 13	1	B1
	(ii)	5, 15, 10, 6, 8, 12, 14	5, 6, 8, 10, 12, 14, 15	1	B1
	(b)		Correct reason	1	B1 eg 9 is not a member of C or 9 is not in C or C only contains 6, 8, 10, 12, 14 or 9 is outside of C there must be no contradictory or incorrect statements
					Total 3 marks

19 (a)	eg $\frac{9.6}{6}$ (= 1.6 oe) or $\frac{6}{9.6}$ (= 0.625 oe) or $\frac{("GH")}{6} = \frac{4}{9.6}$ oe		2	M1 for a correct scale factor accept ratio notation eg 9.6 : 6 (can be seen near the diagram)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	2.5		A1 oe allow 2,5
(b)	eg $5.7 \times "1.6"$ or $5.7 \div "0.625"$ or $5.7 \times \frac{4}{"2.5"}$ or $5.7 \div \frac{"2.5"}{4}$ or $\frac{("BC")}{9.6} = \frac{5.7}{6}$		2	M1 ft their scale factor from (a)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	9.12		A1 oe ft their scale factor from (a) allow 9,12
				Total 4 marks

20	eg $(AB^2 =) 6^2 + 6^2 (= 72)$ or $\sin 45 = \frac{6}{(AB)}$ or $\cos 45 = \frac{6}{(AB)}$ or or $(AB^2 =) 6^2 + 6^2 - 2 \times 6 \times 6 \times \cos 90$		5	M1 for a correct start to the method to find AB
	eg $(AB =) \sqrt{6^2 + 6^2} (= \sqrt{72} \text{ or } 6\sqrt{2} \text{ or } 8.48\dots)$ or $(AB =) \frac{6}{\sin 45} (= \sqrt{72} = 6\sqrt{2} = 8.48\dots)$ or $(AB =) \frac{6}{\cos 45} (= \sqrt{72} = 6\sqrt{2} = 8.48\dots)$ or $(AB =) \sqrt{6^2 + 6^2 - 2 \times 6 \times 6 \times \cos 90}$			M1 for a complete method to find the length of AB
	eg $\pi \times 6 (= 6\pi \text{ or } 18.8\dots)$ or $\pi \times 6 \div 2 (= 3\pi \text{ or } 9.42\dots)$ or $\pi \times "8.48\dots" (= 26.6\dots)$ or $\pi \times "8.48\dots" \div 2 (= 13.3\dots)$			M1 (indep) for a method to find the circumference of one whole circle or the arc length of one semicircle seen (may be embedded)
	eg $2 \times "3\pi" + "13.3\dots"$ or $"9.42" + "9.42" + "13.3"$ or $"18.8" + "13.3"$			M1 for a complete correct method to find the perimeter of the shape
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	32.2		A1 accept answers in the range 32.1 – 32.3
				Total 5 marks

21	eg $0.74 \times 300 (= 222)$ or $1 - 0.74 (= 0.26)$ seen or $\frac{78}{300}$		2	M1 for a method to work out an estimate for the number of games Evie will win or the probability that Evie will lose or an answer of $\frac{78}{300}$
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	78		A1 cao
				Total 2 marks

22	(a)		m^7	1	B1
	(b)		8	1	B1 Allow k^8
	(c)		$9x^{12}y^{16}$	2	B2 B1 for a product in the form $ax^p y^q$ where 2 from a , p or q are correct eg $3x^{12}y^{16}$ (Allow $9x^{12}$ or $9y^{16}$ or $x^{12}y^{16}$ so as long as not added to any other terms)
					Total 4 marks

23	(a)		$4x^2 - 20x$	1	B1 or $-20x + 4x^2$
	(b)	$(y \pm 5)(y \pm 4)$ or $(5 \pm y)(4 \pm y)$ or $y(y-4) - 5(y-4)$ or $y(y-5) - 4(y-5)$		2	M1 for $(y \pm 5)(y \pm 4)$ or $(5 \pm y)(4 \pm y)$ or for $(y+a)(y+b)$ where $ab = 20$ or $a + b = -9$
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	$(y-5)(y-4)$		A1 oe Allow any letter for y Accept $(5-y)(4-y)$
					Total 3 marks

24	(a)		0.0056	1	B1
	(b)	20000000 oe eg 20×10^6 or 0.2×10^8 or 2×10^n $n \neq 7$ or $\frac{6 \times 10^{(3+5)}}{21+9}$ or $\frac{6 \times 10^8}{30}$ or $\frac{6 \times 10^3}{3 \times 10^{-4}}$ or $\frac{6000}{0.0003}$ or $\frac{6000}{3 \times 10^{-4}}$		2	M1
		<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	2×10^7		A1
					Total 3 marks

25	$0.12 \times 700\,000$ oe (= 84 000) or $0.88 \times 700\,000$ oe (= 616 000) or $700\,000 \times 0.88^2$ oe (= 542 080)		3	M1 for finding 12% or 88% of 700 000	M2 for $700\,000 \times 0.88^3$ or $700\,000 \times 0.88^4$ (= 419 786.75)
	$0.88 \times \text{“}616\,000\text{”}$ oe (= 542 080) and $0.88 \times \text{“}542\,080\text{”}$ oe (= 477 030.4)			M1 for completing method to find the value of the car	
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	477 030		A1 accept 477 030 – 477 031	
				SC: if no other marks gained award M1 for $0.36 \times 700\,000$ oe or 252 000 or $0.64 \times 700\,000$ oe or 448 000 accept $(1 - 0.12)$ as equivalent to 0.88 throughout	
				Total 3 marks	

26		Triangle with vertices (3, 6) (3, 9) (5, 6)	2	B2 for a fully correct shape with correct orientation and in the correct position. (B1 for a shape of correct size and orientation or 2 or 3 points plotted correctly)
				Total 2 marks

27	$(V =) \frac{1950}{7.8} (=250)$ or $7.8 = \frac{1950}{w \times 5 \times 4}$ or $7.8 = \frac{1950}{w \times 20}$		3	M1 for correct method to find volume using mass \div density or a correct equation with correct expression for volume (may be embedded in another calculation)
	eg $w = \frac{1950}{7.8 \times 5 \times 4}$ or $20w = \frac{1950}{7.8}$ or $20w = "250"$ or $4 \times 5 \times w = "250"$ OR eg $\frac{1950}{5 \times 4 \times 7.8}$ or $1950 \div (20 \times 7.8)$ or $1950 \div 156$ or $"250" \div 20$			M1 for a fully correct equation in w or a fully correct calculation to find the value of w (may be labelled eg x or L)
	<i>Correct answer scores full marks (unless from obvious incorrect working)</i>	12.5		A1
				Total 3 marks

28 (a)	eg $x + 0.15 + 0.5 + y + 0.13 + 0.03 = 1$ oe or $x + y = 1 - 0.15 - 0.5 - 0.13 - 0.03$ oe or $x + y + 0.81 = 1$ oe or $x + y = 1 - 0.81$ oe or $1 - 0.15 - 0.5 - 0.13 - 0.03 = 0.19$ oe or $1 - 0.81 = 0.19$ oe			2	M1 for setting up an equation in x and y using the sum of probabilities equals 1 or for showing that probabilities add up to 1
	<i>Working required</i>		Shown		A1 correctly rearranges to $x + y = 0.19$ (must be shown from a correct method) or a clear statement that $x + y = 0.19$
(b)	$x + y = 0.19$ $3x - y = 0.09$ Adding $(x + 3x = 0.19 + 0.09$ or $4x = 0.28)$ or $3x - (0.19 - x) = 0.09$ or $x + 3x - 0.09 = 0.19$	$3x + 3y = 0.57$ $3x - y = 0.09$ Subtracting $(3y - - y = 0.57 - 0.09$ or $4y = 0.48)$ or $3(0.19 - y) - y = 0.09$ or $\left(\frac{0.09 + y}{3}\right) + y = 0.19$		3	M1 for a correct method to eliminate x or y : coefficients of x or y the same and correct operator to eliminate selected variable (condone any one arithmetic error in multiplication) or writing x or y in terms of the other variable and correctly substituting (condone missing brackets)

	<p>“0.07” + y = 0.19 or 3 × “0.07” – y = 0.09 or y = 0.19 – “0.07” or y = 3 × “0.07” – 0.09</p>	<p>3x + 3 × “0.12” = 0.57 or 3x – “0.12” = 0.09 or x = 0.19 – “0.12” or $x = \left(\frac{0.09 + "0.12"}{3} \right)$</p>			<p>M1 dep on first M1 for a correct method to find other variable by substitution of found variable into one equation or for repeating the above method to find the second variable.</p>
	<i>Working required</i>		<p>x = 0.07 and y = 0.12</p>		<p>A1 oe dep on M1</p>
					Total 5 marks

